



BRITISH NOVA

SAFETY DATA SHEET

Page 1 of 3

NOVA LIQUID 99

Data Sheet No. BN107

Revision 0
Revision date

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name NOVA LIQUID 99
Data Sheet No. BN107

Company British Nova Works Ltd
Neville House
Beaumont Road
Banbury
Oxon
OX16 1RB
United Kingdom
sales@britishnova.co.uk
ww.britishnova.co.uk

Telephone 01295 254030

Fax 01295 254061

Emergency telephone number 01295 254030

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Tetrapotassium Pyrophosphate	1-10%	7320-34-5	230-785-7	Xi; R36
(2-methoxymethylethoxy)propanol (2-methoxymethylethoxy) propanol)	1-10%	34590-94-8	252-104-2	

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Ingestion May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear suitable respiratory equipment when necessary.

Print date 5-Jun-2008

NOVA LIQUID 99

Data Sheet No. BN107

Revision 0
Revision date

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

(2-methoxymethylethoxy)propanol	WEL 8-hr limit ppm: 50	WEL 8-hr limit mg/m3: 308
((2-methoxymethylethoxy) propanol)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -

Engineering measures Ensure adequate ventilation of the working area.

Hand protection Chemical resistant gloves (PVC)

Eye protection In case of splashing, wear: Approved safety goggles.

Protective equipment Wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid.

Colour Orange.

Odour Pleasant.

Boiling point 100°C

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Direct sunlight. Do NOT allow to freeze. Heat.

11. TOXICOLOGICAL INFORMATION

Toxicological information No Significant Hazard.

12. ECOLOGICAL INFORMATION

Further information Do not flush into surface water.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

14. TRANSPORT INFORMATION

Further information The product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION

Risk phrases NSH - No Significant Hazard.

Safety phrases S2 - Keep out of the reach of children.
S24/25 - Avoid contact with skin and eyes.
S37 - Wear suitable gloves.

NOVA LIQUID 99

Data Sheet No. BN107

Revision 0
Revision date

16. OTHER INFORMATION

Text of risk phrases in Section 3. R36 - Irritating to eyes.

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.



BRITISH NOVA

PRODUCT GUIDE FOR NOVA LIQUID 99

Liquid Cleanser

- A super concentrated biodegradable water-based cleanser. Powerful, effective and multi-purpose in use. 'LIQUID 99' may be used in a sprayer, with steam-cleaning equipment, with floor scrubbing machines, with mopping systems or simply as a washing solution. It penetrates and emulsifies dirt and grease, releasing it from the surface. 'LIQUID 99' is suitable for use with hot or cold water / hard or soft water.

Recommended Uses

For use on floors, walls and other hard surfaces which water, mild solvents and alkaline cleansers will not harm - floors, walls, painted furniture, glass, metal, plastic, stone, etc. Not for use on polished furniture.

Dilution Rates - Depending on degree of soil

For Regular Maintenance: 30-50ml per 5 litres of water

For Heavy Duty Cleaning: 100-350ml per 5 litres of water

Directions for Use

Regular Floor Maintenance

May be used for mop maintenance, spray-buffing or machine scrubbing. Buffing with a floor polishing machine after use improves the lustre of floor finishes.

Renovation of Very Dirty Floors

Using hot water, apply solution and allow to soften the dirt. Scrub floor and rinse thoroughly with clean water.

Paintwork, Plastic Laminates, etc.

Apply solution with a sprayer, water-absorbent brush, sponge, cloth, etc. Allow it to soften the dirt, wipe and rinse off. Where smooth flat areas, such as walls, are being cleaned, use of a special squeegee can considerably speed up and improve results.

Painted Metal Furniture, Stainless Steel, Plastic, Porcelain, Venetian Blinds, Light Fittings, Plastic Upholstery, etc.

Spray or wipe solution onto surface and allow it to soften the dirt. Wipe clean, rinse off.

Packaging

Cartons of 2 x 5 litre containers.

Note

British Nova accepts no liability for problems encountered when using its products alongside those manufactured by its competitors.



British Nova Works Limited, Neville House, Beaumont Road, Banbury, Oxon OX16 1RB
 Tel 01295 254030 Fax 01295 254061 Email sales@britishnova.co.uk www.britishnova.co.uk
 British Nova Works Products are manufactured under a Quality System approved to ISO 9001.

